(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 28 February 2002 (28.02.2002)

PCT

(10) International Publication Number WO 02/17643 A2

(51) International Patent Classification7:

(21) International Application Number:

- - .

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:

US

09/941,246 (CON)

Filed on

27 August 2001 (27.08.2001)

(22) International Filing Date: 27 August 2001 (27.08.2001)

(25) Filing Language:

English

H04N 7/24

PCT/US01/41897

(26) Publication Language:

English

(30) Priority Data:

25 August 2000 (25.08.2000)	US
25 August 2000 (25.08.2000)	US
21 August 2001 (21.08.2001)	US
23 August 2001 (23.08.2001)	US
27 August 2001 (27.08.2001)	US
	25 August 2000 (25.08.2000) 21 August 2001 (21.08.2001) 23 August 2001 (23.08.2001)

(71) Applicant (for all designated States except US): INTEL-LOCITY USA, INC. [US/US]; 1400 Market Street, Denver, CO 80202 (US).

(72) Inventor; and


(75) Inventor/Applicant (for US only): MARKEL, Steven, O. [US/US]; 3031 E. Wyecliff Way, Highlands Ranch, CO 80126 (US).

(74) Agents: GALLENSON, Mavis, S. et al.; LADAS & PARRY, 5670 Wilshire Boulevard, Suite 2100, Los Angeles, CA 90036-5679 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,

[Continued on next page]

(54) Title: STREAMING MEDIA



(57) Abstract: A graphical user interface, providing local drag and drop functions, is employedto position text and graphic elements on a video frame image. Frame number, element position, and element attributes are employed to create an enhancement file. Theenhancement file is employed to embed a trigger, comprising information that identifies a video frame to be enhanced and a locator indicating where enhancement information may be accessed, into a streaming media file to create and enhanced streaming media file. An HTML/Javascript page embeds a media player and includes software to detect a trigger, access enhancement information, and to render the enhancement information in responseto the trigger.



WO 02/17643 A2

CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,

IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 02/17643 PCT/US01/41897

STREAMING MEDIA

Cross Reference to Related Applications

This application is based upon and claims priority of United States provisional application number 60/227,918 entitled "METHOD OF ENHANCING STREAMING MEDIA CONTENT," filed August 25, 2000 by Steve O. Markel, United States provisional application serial number 60/227,930, now United States patent applications serial number _____, entitled "SYSTEM AND METHOD FOR WEB BASED ENHANCED INTERACTIVE TELEVISION CONTENT PAGE LAYOUT," filed August 21, 2001; and United States provisional application serial number 60/227,063, now United States patent application serial number _____, entitled "SYSTEM AND METHOD FOR DISTRIBUTION OF INTERACTIVE CONTENT TO MULTIPLE TARGETED PRESENTATION PLATFORMS," filed August 23, 2001. All of these applications are specifically incorporated herein by reference for all that they disclose and teach.

Background

a. Field

5

10

15

25

30

The present disclosure relates to streaming media, such as video streams transferred across the Internet, and more particularly, to a method and system that produces enhanced content that may be employed with streaming media. This disclosure discusses system and method for distribution of interactive content to multiple targeted presentation platforms.

b. Description of the Background

Streaming media files, such as video and sound files, may be hosted at a web server, and then may be transmitted over the Internet or other network to a requesting user. A streaming media player, such as Microsoft Windows® Media Player, may be employed to play a media file within a user's browser. While the images that may comprise streaming media content may be similar in appearance to television, enhancement of streaming media exhibits a number of differences. Enhancement refers to

the display of elements such as text, graphics and images in conjunction with a video presentation. Display elements such as text, graphics, and images, for example, may be in proximity to a video image, or may overlay a video image. Display elements may also have links associated with them such that selection of the element, such as a displayed icon, or selection of the video area, may provide access to a web page, other information, or may launch another application. A prominent difference between television enhancement and enhancement of streaming media is that there are few tools and standards for streaming media enhancement, if any. In a manner similar to television, streaming media enhancements provide an opportunity for increased viewer satisfaction and also provide an opportunity for increased revenue through advertising, vendor association with a displayed product, and modification of advertising, such as local dealer information being displayed in conjunction with an advertisement. As such, a new method that provides a method and tools for streaming media enhancement is needed.

15

20

25

30

10

Summary of the Invention

The present invention overcomes the disadvantages and limitations of the prior art by providing a system and method for creating enhanced content for streaming media and for outputting an enhancement file suited to streaming media. The authoring tools of the present invention provides an easy to use visual interface that allows a user to open a streaming video file, position the video to a desired frame, and add text and graphic enhancements.

Commands employed to place the graphics and text enhancements are termed triggers. Each trigger uniquely specifies a text or graphic element, a location, and a time. A trigger may also contain an address where a graphic may be accessed. A text trigger may indicate font, font size, color and other attributes, plus location of where the text is displayed. Triggers may be grouped into a text file, using a scripting language such as XML for example, and then may be embedded into a streaming media file. The resultant enhanced streaming media file may be saved on a web server. In addition to the enhanced streaming media file, an HTML / JavaScript "wrapper" page is generated. The

WO 02/17643 PCT/US01/41897

HTML/Javascript page embeds a streaming media player object as well as the software code necessary to interpret the embedded triggers.

The invention therefore may comprise a method for creating an enhanced streaming media file comprising: defining a first window in a graphical user interface; displaying a streaming video file in a media player window contained in the first window; pausing the media player at one frame of a plurality of frames comprising the streaming video file; placing a displayable element at a position in the first window employing a pointing device and employing a drag and drop function responsive to an input from the pointing device, the drag and drop function implemented locally in the graphical user interface; creating an enhancement file containing information related to the displayable element, and the one frame; modifying a file containing a video stream to produce a modified video stream file containing a trigger comprising information that identifies a video frame to be enhanced and a locator indicating where enhancement information may be accessed; and embedding a media player and a software routine in a web displayable page wherein the media player is operable to display a video stream, and the software routine is operable to detect a trigger in the video stream, to access enhancement information employing a locator in the video stream, and to render enhancements defined by the enhancement information.

A user may access a web server with a browser and download the enhanced streaming media file and the HTML / JavaScript page. As the enhanced streaming media file plays, the wrapper HTML / JavaScript code interprets triggers contained in the enhanced streaming media file and renders the graphics or text elements. The invention may be implemented in a web browser, allowing remote editing and preview of enhancements.

The invention may further comprise a system for creating an enhanced streaming media file comprising: a computer; a web browser; a graphical user interface disposed in the browser; a streaming media player disposed in the graphical user interface; a first software program associated with the graphical user interface that allows a user to select a displayable element and to position the displayable element over an image displayed by the streaming media player, the first software program further provides a function to alter the position of the displayable element in response to input from a pointing device, the

5

10

15

20

25

function implemented locally in the graphical user interface; a second program that embeds information associated with the displayable element into a streaming media file; and a third program that produces a web displayable page that embeds a media player operable to display a video stream and a software routine that detects a trigger contained in the video stream and that accesses enhancement information and renders an enhancement in response to the trigger.

Advantageously, the present invention allows easy enhancement of streaming video, providing lower cost for creating enhancements and providing new opportunities for increased viewer enjoyment, and for increased revenue generation through advertising links, advertising customization, and interactive promotions.

Description of the Figures

In the figures,

15

20

25

Figure 1 depicts the functional environment of the present invention.

Figure 2 depicts a trigger management window.

Figure 3 depicts a trigger window with a selected video file and one enhancement element.

Figure 4 is a flowchart of a method for selecting an element in the video window.

Figure 5 is a flowchart of a method for moving and/or resizing an element in the video window of the trigger screen.

Figure 6 depicts a trigger window reflecting a second video time and an element at a second position.

Figure 7 depicts a third video time with text placed in the video window.

Figure 8 is a functional summary of one embodiment of the present invention.

Detailed Description of the Invention

Enhanced content is typically presented using a combination of HTML,

JavaScript, Java and other web technologies. Presentation of enhanced content with

WO 02/17643 PCT/US01/41897

streaming media requires that enhanced content be authored, scheduled, previewed, and output to an enhanced streaming media file in a format suitable for web display. Authoring comprises selection of elements such as text, graphics, and images and placement of the elements in relation to a displayed video image. Scheduling refers to specification of a time, video frame, or other indication, when enhancements may be displayed. Previewing enhancements may comprise accessing memory containing enhancement information, producing a file of enhancements and triggers, and employing a browser to view the enhancement. Alternately, enhancement information may be stored in a database and may be accessed to produce a file of enhancements and triggers. Output of an enhanced streaming media file may comprise inserting trigger information into a video stream and providing an HTML/Javascript wrapper page that embeds a streaming media player and includes software code to interpret the trigger information, access enhancement information and render enhancements.

Figure 1 depicts the functional environment of the present invention. Environment 100 comprises enhancement author 102 that operates with browser 104. As shall be shown in following figures, enhancement author 102 is employed to select display elements, place them in proximity to a video window, define the attributes of the elements, and define a time at which they may be rendered. Database 106 may store enhancement and project information. An enhancement file 108, that may be an XML script file, comprises element information including element attributes, position, and time. Enhancement file 108 may be processed to produce an HTML enhancements file 110 that may be imported into a streaming media file to produce modified stream 112. Modified stream 112 may then be stored in server 116 and may be created and stored in server 116.

Figure 2 depicts a trigger management window. Trigger window 200 may be accessed through URL 202. Trigger window 200 comprises video window 204 that displays streaming media images. A project may be selected or specified through project window 206. A streaming video file may be selected with load button 208. Once the video file is loaded, a frame for enhancement may be accessed employing play button 210. Play button 210, once selected, provides a pause function. Alternately, a frame may

5

10

15

20

25

10

15

20

25

30

be selected by entering a value in time window 212. Further, the controls of a media player (controls not depicted) may be employed to select a desired frame. Once a desired frame is selected, element window 214 may be employed to select a text or graphic element from a list of elements. Element window 214 provides a pull-down menu of elements. Browse button 216 allows selection of a directory where a text or graphic element may be accessed.

Figure 3 depicts a trigger window with a selected video file and one enhancement element. A video file has been opened and a display time selected. Video window 302 shows the video image that reflects the time shown in time window 304. Element 306, a target with arrow, has been placed in the upper left of the video image area. Information describing the time, position, and element are shown in trigger entry 308. When an element is selected through the element window, placement may employ manual entry of position information for the top left corner of the element through top window 310 and left window 312. The URL for the element may also be specified through URL window 314. Placement may also employ a mouse or other pointing device. A software routine downloaded to the browser, providing faster updates than a server-implemented routine, allows the user to drag an element to a desired position. Further, a resizing function may be implemented, allowing the user to alter the size of an element. Figures 4 and 5 depict flowcharts for selecting and moving or resizing an element.

Figure 4 is a flowchart of a method for selecting an element in the video window. Mouse select process 400 begins with a mousedown (button activation) at step 402. Step 404 determines if the mouse position is inside the video window when the button was activated. If the mouse position is outside the video window, mouse data is passed to other programs such as may be employed to select elements or play and pause the video stream. If the mouse position is inside the video window, step 406 determines if the position is inside the knobs of an element. Knobs are visual elements, such as small rectangles, for example, that are displayed at the edges of an element when selected. If the mouse is inside a knob, step 408 removes the knobs and the process ends at step 410. If step 406 determines that the mouse position is not inside an element, the process ends at step 414. If step 412 determines that the mouse position is inside an element,

WO 02/17643 PCT/US01/41897

element, step 416 obtains the element's x and y position, height, and width. Step 418 then determines if the user selected a different element. If a different element was selected, step 420 deselects the previous selection and the process sends at step 422. If the user did not select a difference element, the new element is selected at step 424 and the process ends at step 426.

Having selected an element displayed in the image area using the process of figure 4, a user may now move or resize the element. Figure 5 is a flowchart of a method for moving and/or resizing an element in the video window of the trigger screen. Move and resize process 500 begins with step 502 where a mousemove event is received. A mouse move event occurs when a mouse button is activated while the mouse is positioned over an element and the mouse is moved. Step 504 determines if the mouse is positioned over a resize knob displayed in conjunction with a selected element. If step 504 determines that the mouse position does not correspond to a knob, step 506 moves the element using mouse movement information. The size of the element is not altered and processing ends at step 508. If the position of the mouse corresponds to a knob of the element, step 510 checks if the knob corresponds to a west (left side) knob. If the west knob is selected, step 512 checks if the west knob is a lower left knob. If the knob is not the lower left knob, step 514 resizes the element by changing the left coordinates of the element and keeping the right edge position and height of the element unchanged. Processing then ends at step 516. If step 512 determines that a lower left knob is selected, step 518 adjusts the height and width of the element, maintaining the aspect ratio of the element and the position of the upper right corner of the element. Processing then ends at step 516. If step 510 determines that the west knob is not selected, step 520 checks if the east knob (right side) was selected. If the east knob is selected, step 522 checks if the east knob is an upper right knob. If the knob is not an upper right knob, step 524 resizes the element by changing the right coordinates of the element and keeping the left edge position and height of the element unchanged. Processing then ends at step 526. If step 522 determines that an upper right knob is selected, step 528 adjusts the height and width of the element, maintaining the aspect ratio of the element and the position of the lower left corner of the element. Processing then ends at step 526. If step 520 determines that an east knob is not selected, step 530 checks if a north knob is selected. If a north knob is

10

15

25

10

15

20

25

30

selected, step 532 checks if the upper left knob was selected. If the upper left knob was not selected, step 534 resizes the element by changing the top coordinates and keeping the bottom coordinates and width of the element unchanged. Processing then ends at step 536. If step 532 determines that the upper left knob was selected, step 538 adjusts the height and width of the element while maintaining the aspect ratio of the element and the position of the bottom right coordinate. Processing then ends at step 536. If step 530 determines that a north knob was not selected, step 540 checks if a lower right knob was selected. If a lower right knob was not selected, step 542 adjusts the height of the element, keep the width and top coordinates unchanged. Processing then ends at step 544. If step 540 determines that the knob is a lower right knob, step 546 adjusts the height and width of the element while maintaining the aspect ratio of the element and the position of the top left coordinate. Processing then ends at step 544. Appendix A lists code to implement the 'drag and drop' and 'resize' functions described in figure 4 and figure 5.

Figure 6 depicts a trigger window reflecting a second video time and an element at a second position. In figure 6 the video has been advanced to the time shown in time window 602. Employing the 'drag and drop' functions described in figure 4 and 5, the target with arrow element 604 has been moved to a position in the lower right of video window 606. Trigger entry 608 lists the time, position and element information for the newly positioned element.

Figure 7 depicts a third video time with text placed in the video window. In figure 7 the video has been advanced to the time shown in time window 702. Text 704, showing 'Caption Text', has been placed in video window 706. Trigger entry 708 lists the time, position and element information for the newly positioned text element. Font and type size are specified in trigger entry 708. A user may preview enhancements by selecting preview button 710. Preview mode creates an enhanced streaming media file and HTML/Javascript wrapper as previously described.

Figure 8 is a functional summary of one embodiment of the present invention.

Steps 800 to 808 depict creation of an enhanced video stream. Steps 810 to 816 depict utilization of an enhanced video stream. At step 800, a video frame of a video file is selected. At step 802, enhancements are selected and positioned in one or more video frames. At step 804, a script containing triggers and element description is produced. At

WO 02/17643 PCT/US01/41897

step 806, the trigger script information is embedded in the video stream and an HTML/Javascript page is created. At step 808, the embedded video stream and HTML/Javascript page is stored in a server. At step 810, an enhanced stream is transferred across a network, which may be the Internet or other network, in response to a user selecting a URL or other locator containing the enhanced streaming video file. When the file is loaded, stream monitor 812 and trigger handler 814 are loaded to the viewer's system. Stream monitor 812 delivers streaming media to the user's media player while monitoring the stream for trigger information. When a trigger is found, trigger handler 814 may access a URL contained in the trigger to access enhancement information and then render the enhancements on media player 816.

Figure 8 depicts an embodiment where trigger information is embedded in the video stream, and an HTML/Javascript program interprets trigger information, including a locator such as a URL, to access enhancement information that is then rendered. In another embodiment, the embedded video stream may be modified to contain both triggers and enhancement information. In yet another embodiment, The HTML/Javascript page may be configured to monitor time information from a media player and to compare the time information with a list of trigger times contained in the HTML/Javascript page file, and to access and render enhancements when a listed trigger time occurs. Embodiments that employ a locator to access enhancement information may also comprise pre-fetching of enhancement information to accommodate access latencies. One pre-fetch embodiment may employ a 'pre-trigger' that results in the enhancement information for an upcoming trigger to be accessed. Another pre-fetch embodiment may access information for a next trigger when a current trigger has been executed. Yet another pre-fetch embodiment may define a buffer, such as a FIFO, for example, and may access enhancement information in response to a FIFO pointer value.

The above-described authoring methods may employ a web browser such that users may remotely access the authoring and preview functions. The editing functions described provide a base set of capabilities. The elements selected through the element window 214 of figure 2 may include executable elements, such as animated sequences. Additional capabilities such as those described in the referenced application entitled

10

15

20

25

5

10

'SYSTEM AND METHOD FOR WEB BASED ENHANCED INTERACTIVE TELEVISION CONTENT PAGE LAYOUT' may be employed.

The foregoing description of the invention has been presented for purposes of illustration and description. It is not intended to be exhaustive or to limit the invention to the precise form disclosed, and other modifications and variations may be possible in light in the above teachings. The embodiment was chosen and described in order to best explain the principles of the invention and its practical application to thereby enable others skilled in the art to best utilize the invention in various embodiments and various modifications as are suited to the particular use contemplated. It is intended that the appended claims be construed to include other alternative embodiments of the invention except insofar as limited by the prior art.

APPENDIX A - CODE EXAMPLE FOR CLICK & DRAG TO PLACE ELEMENTS AND TO RESIZE THEM

Note: Numerical references shown in bold after "//" relate the section of code to a component of the figures. The figures are representative of the actions performed and may not reflect the exact order or functions performed.

```
//400
     function mouseDown()
10
         //404: Was the MouseDown inside of the DivPg(Canvas) ?
           if ( event.x >= divPg.offsetLeft + divMain.offsetLeft
             && event.x <= divPg.offsetLeft - 0 + divPg.offsetWidth +
     divMain.offsetLeft
             && event.y >= divPq.offsetTop + divMain.offsetTop
             && event.y <= divPg.offsetTop - 0 + divPg.offsetHeight +
     divMain.offsetTop )
20
                 // Yes.
               var el = event.srcElement;
               var pEl = el.parentElement;
               var i;
                 var isText = false;
25
                 //406: Are we positioned inside a knob?
               if (el.id.indexOf(" knob", 0) == 0)
30
                 // 408 Yes, we are on a knob, and the user wants to resize
     the element.
                   initlX = event.clientX;
                   initlY = event.clientY;
35
                   knob = el;
                  hideKnobs();
                  MouseDownOnElement = true;
               else //412:.
40
                   while (true)
                       if (el.tagName == "BODY") return;
                       if (pEl.tagName == "BODY") return;
45
                       if (pEl.tagName == "DIV" &&
    pEl.id.indexOf("divEl")>=0) break;
                       el = pEl;
                       pEl = el.parentElement;
50
                     if (el.tagName == "DIV")
                       // TEXT AREA
                      ob = el.style;
55
                     else
```

```
ob = pEl.style;
                 //416
                   initlX = event.clientX;
5
                   initlY = event.clientY;
                   initlObjX = ob.posLeft;
                   initlObjY = ob.posTop;
10
                   elWidth = el.offsetWidth;
                   elHeight = el.offsetHeight;
                   elName = el.id;
                   i = elName.slice(5);
15
                 //418: Did the user select a different element ?
                   if (elementSelected == i)
                       MouseDownOnElement = true;
                       // 420: Change to newly selected element
20
                       elementSelected = i;
                       selectElement(i);
                       hideKnobs();
                    }
                   else
                              //424
25
                        var updated = true;
                        //**** update display with selected element
                        if (elementSelected > -1)
                        {
30
                              updated = updEls(elementSelected);
                        }
                        if (updated)
35
                        {
                            MouseDownOnElement = true;
                            // Change to newly selected element
                            elementSelected = i;
                            selectElement(i); .
40
                            hideKnobs();
                        }
                    }
                }
            }
45
     function mouseMove()
                               //500
50
          if (MouseDownOnElement)
            var fp = window.frmElProps;
            var pEl;
            var elType;
 55
              if (knob) //504
```

```
{
                  var e = eval("window.elImg" + elementSelected);
                  elType = parseInt(elements(elementSelected)(eElType));
                  if( elType == kElIsTA )
 5
                        pEl = \epsilon;
                        e = e.style;
                  }
                  else
10
                  {
                        pEl = e.parentElement;
                  }
                        var delta;
15
                  switch (knob.style.cursor)
                      case "w-resize":
                                         //510
                                    delta = initlX - event.clientX;
20
                                    if(elType != kElIsTV) //512
                                           if (pEl.style.pixelLeft - delta <=
     0)
           //518
                                           {
25
                                                 delta = pEl.style.pixelLeft;
                                                 pEl.style.pixelLeft = 0;
30
                                                 pEl.style.pixelLeft -= delta;
                                    switch(elType) //514
35
                                      case kEllsGraphic:
                                      case kElIsBG:
                                          e.width += delta;
                                          break;
                                      case kElIsTA:
40
                                          e.width =
     Math.abs(parseInt(e.width) + delta) + "px";
                                          break;
                                      case kElIsTV:
                                                       //518
                                          // Compute available WEST & South
45
     pixels
                                          var Wpx = pEl.style.pixelLeft; ...
                                          var Spx = gCanvasH -
     (pEl.style.pixelTop + e.height);
                                          while ( delta > Wpx ||
50
     (gCanvasH/gCanvasW)*delta > Spx )
                                          {
                                                 --delta;
                                                 if (delta == 0) break;
55
                                          pEl.style.pixelLeft -= delta;
                                          e.width += delta;
```

```
e.height = e.width
    (gCanvasH/gCanvasW);
                                          break;
                                     default:
                                          break;
5
                         break;
                     )
                     case "e-resize":
                                          //520
10
                                   var w;
                                    delta = event.clientX - initlX;
                                    switch(elType) //522
                                      case kElIsGraphic:
                                                            //524
15
                                      case kElIsBG:
                                          w = e.width + delta;
                                          if( pEl.style.pixelLeft + w >
    gCanvasW )
20
                                                w = gCanvasW -
    pEl.style.pixelLeft;
                                          e.width = W;
25
                                          break:
                                                             //524
                                case kElIsTA:
                                          w = Math.abs(parseInt(e.width) +
    delta);
                                          if( pEl.style.pixelLeft + w >=
30
    gCanvasW )
                                                w = gCanvasW -
    pEl.style.pixelLeft;
                                          e.width = w + "px";
35
                                          break;
                                                             //528
                                     case kElIsTV:
                                          // Compute available EAST & South
    pixels
                                          var Epx = gCanvasW -
40
     (pEl.style.pixelLeft + e.width);
                                          var spx = gCanvasH -
     (pEl.style.pixelTop + e.height);
                                          while (delta > Epx |
     (gCanvasH/gCanvasW)*delta > Spx )
45
                                                 --delta;
                                                 if (delta == 0) break;
                                          e.width += delta;
50
                                          e.height = e.width =
     (gCanvasH/gCanvasW);
                                          break;
                                      default:
                                          break;
55
                          break;
```

יינדון

```
//530
                     case "n-resize":
                                   var h;
5
                                   delta = initlY - event.clientY;
                                   if(elType != kElIsTV)
                                                            //532
                                          if(pEl.style.pixelTop - delta < 0)
10
                                                delta = pEl.style.pixelTop;
                                               pEl.style.pixelTop = 0;
                                          }
                                         else
15
                                          {
                                               pEl.style.pixelTop -= delta;
                                   }
20
                                   switch(elType) //534
                                     case kElIsGraphic:
                                                            //538
                                     case kElIsBG:
                                         e.height += delta;
25
                                         break;
                                                            //538
                                     case kElIsTA:
                                         e.height =
    Math.abs(parseInt(e.height) + delta) + "px";
                                         break;
                                     case kElIsTV:
30
                                          // Compute available NORTH & West
    pixels
                                         var Npx = pEl.style.pixelTop;
                                         var Wpx = gCanvasW -
35
    (pEl.style.pixelLeft + e.width);
                                         while ( delta > Npx | |
    (gCanvasW/gCanvasH) *delta > Wpx )
                                          {
                                                --delta;
40
                                                if (delta == 0) break;
                                         pEl.style.pixelTop -= delta;
                                         e.height += delta;
                                         e.width = e.height *
45
    (gCanvasW/gCanvasH);
                                         break;
                                     default:
                                         break;
50
                             break:
                       }
                     case "s-resize":
                                   var h;
55
                                   delta = event.clientY - initlY;
                                   switch( elType ) //540
```

```
//542
                                      case kElIsGraphic:
                                      case kEllsBG:
                                          h = e.height + delta;
                                          if( pEl.style.pixelTop + h >
5
    gCanvasH )
                                                h = gCanvasH -
    pEl.style.pixelTop;
                                          e.height = h;
10
                                          break;
                                                             //542
                                      case kElIsTA:
                                          h = Math.abs(parseInt(e.height) +
    delta);
                                          if( pEl.style.pixelTop + h >
15
     gCanvasH )
                                                h = (gCanvasH -
     pEl.style.pixelTop);
20
                                          e.height = h + "px";
                                          break;
                                                             //546
                                      case kElIsTV:
                                           // Compute available SOUTH & West
25
     pixels
                                          var Wpx = gCanvasW -
     (pEl.style.pixelLeft + e.width);
                                          var Spx = gCanvasH -
     (pEl.style.pixelTop + e.height);
                                           while ( delta > Spx |
30
     (gCanvasW/gCanvasH) *delta > Wpx )
                                           {
                                                 --delta;
                                                 if (delta == 0) break;
35
                                           e.height += delta;
                                           e.width = e.height *
     (qCanvasW/qCanvasH);
                                           break;
                                       default:
40
                                           break;
                                     } // switch( elType )
                                    break;
                      } // case s-resize:
                        } // switch( knob.style.cursor )
45
                  var el = elements[elementSelected]; //506
                                                      = pEl.style.pixelLeft;
                                      = el[eElLeft]
                  fp.txtLeft.value
                                                      = pEl.style.pixelTop;
                                      = el[eElTop]
                  fp.txtTop.value
50
                  fp.txtWidth.value = el[eElWidth] = (elType == kElIsTA ?
     parseInt(e.width) : e.width);
                  fp.txtHeight.value = el[eElHeight] = (elType == kElIsTA ?
     parseInt(e height) : e.height);
55
              }
              if (ob)
```

```
{
                 if (ob.pixelLeft + event.clientX - initlX < 0)</pre>
                     ob.pixelLeft = 0;
                 else
                     ob.pixelLeft += event.clientX - initlX;
 5
                 if (ob.pixelLeft + elWidth + event.clientX - initlX >
     window.divPg.clientWidth)
                     ob.pixelLeft = window.divPg.clientWidth - elWidth;
10
                 if (ob.pixelTop + event.clientY - initlY < 0)</pre>
                     ob.pixelTop = 0;
                 else
                     ob.pixelTop += event.clientY - initlY;
15
                 if (ob.pixelTop + elHeight + event.clientY - initlY >
     window.divPg.clientHeight)
                     ob.pixelTop = window.divPg.clientHeight - elHeight;
                 fp.txtLeft.value = elements[elementSelected][eElLeft] =
20
     ob.pixelLeft;
                 fp.txtTop.value = elements[elementSelected] [eElTop] =
     ob.pixelTop;
             }
25
             initlX = event.clientX;
             initlY = event.clientY;
         }
30
         return false;
```

Claims

5

10

15

20

What is claimed is:

1. A method for creating an enhanced streaming media file comprising:

defining a first window in a graphical user interface;

displaying a streaming video file in a media player window contained in said first window;

pausing said media player at one frame of a plurality of frames comprising said streaming video file;

placing a displayable element at a position in said first window employing a pointing device and employing a drag and drop function responsive to an input from said pointing device, said drag and drop function implemented locally in said graphical user interface;

creating an enhancement file containing information related to said displayable element, and said one frame;

modifying a file containing a video stream to produce a modified video stream file containing a trigger comprising information that identifies a video frame to be enhanced and a locator indicating where enhancement information may be accessed; and

embedding a media player and a software routine in a web displayable page wherein said media player is operable to display a video stream, and said software routine is operable to detect a trigger in said video stream, to access enhancement information employing a locator in said video stream, and to render enhancements defined by said enhancement information.

- The method of claim 1 wherein said step of embedding further comprises:
 creating an HTML/Javascript web page containing said media player and
 said software routine.
- 3. The method of claim 1 further comprising:

employing a resize function implemented locally in said graphical user interface to alter the size of said displayable element.

- 4. The method of claim 1 wherein said streaming media file further comprises:

 a streaming media file conforming to Microsoft ASF format.
- 5. The method of claim 1 where said enhancement file further comprises:

 an XML compliant script file.
- 6. The method of claim 1 further comprising:

 employing a database to store information describing said displayable element, and said one frame.
- The method of claim 1 further comprising: saving said modified video stream file and said web displayable page on a server.
- 8. The method of claim 1 wherein a link is associated with said displayable element.
- 9. The method of claim 1 wherein said displayable element is an imported element.
- 10. An enhanced streaming media file created by the steps of: defining a first window in a graphical user interface; displaying a streaming video file in a media player window contained in said first window;
- pausing said media player at one frame of a plurality of frames comprising said streaming video file;
- placing a displayable element at a position in said first window employing a pointing device and employing a drag and drop function implemented locally in said graphical user interface;

10

15

creating an enhancement file containing information related to said displayable element, and said one frame;

modifying a file containing a video stream to produce a modified video stream file containing a trigger comprising information that identifies a video frame to be enhanced and a locator indicating where enhancement information may be accessed; and

embedding a media player and a software routine in a web displayable page wherein said media player is operable to display a video stream, and said software routine is operable to detect a trigger in said video stream, to access enhancement information employing a locator in said video stream, and to render enhancements defined by said enhancement information.

20

11. The enhanced streaming media file of claim 10 wherein said step of embedding further comprises:

creating an HTML/Javascript web page comprising said media player and said software routine.

5

- 12. The streaming media file of claim 10 wherein said enhancement file is a text file.
- 13. The streaming media file of claim 10 further comprising the step of:
 saving said modified video stream file and said web displayable page on a server.
- 14. The streaming media file of claim 10 wherein said enhancement file further comprises:

an XML compliant script file.

- 15. A system for creating an enhanced streaming media file comprising:
 - a computer;
 - a web browser;
 - a graphical user interface disposed in said browser;

5

10

15

a streaming media player disposed in said graphical user interface;

a first program associated with said graphical user interface that allows a user to select a displayable element and to position said displayable element over an image displayed by said streaming media player, said first software program further provides a function to alter the position of said displayable element in response to input from a pointing device, said function implemented locally in said graphical user interface;

a second program that embeds information associated with said displayable element into a streaming media file; and

a third program that produces a web displayable page that embeds a media player operable to display a video stream and a software routine that detects a trigger contained in said video stream and that accesses enhancement information and renders an enhancement in response to said trigger.

16. The system of claim 15 further comprising:

a preview function that employs said second program and said third program to display an enhanced video stream on said web browser.

17. The system of claim 15 wherein said first program further comprises:

a resize function implemented locally in said graphical user interface that allows a user to alter the size of a displayed element.

- 18. The system of claim 15 further comprising:
 - a database that stores said information associated with said element.
- 19. The system of claim 15 wherein said displayable element is an imported element.
- 20. The system of claim 15 where a link is associated with said displayable element.
- 21. The system of claim 15 wherein said third program further comprises:

WO 02/17643 PCT/US01/41897


an HTML/Javascript web page containing said media player and said software routine.

22. A system for embedding enhanced content such as graphics, text captions, and advertisement insertions in a streaming media file, comprising:

a trigger management browser operative to pause said streaming media, permit enhancements to be placed on said media and to generate triggers indicative of said enhancements and embed said trigger in said streaming media file; and


a host for receiving and storing said enhanced streaming media file for transmission via the Internet to a requesting user;

said system essentially as set out in the accompany description and Figures.




SUBSTITUTE SHEET (RULE 26)

Figure 2




SUBSTITUTE SHEET (RULE 26)


Figure 3







SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)

Figure 6




Figure 7





Figure 8



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 28 February 2002 (28.02.2002)

PCT

(10) International Publication Number WO 02/017643 A3

(51) International Patent Classification⁷: H04N 7/24, 7/16

(21) International Application Number: PCT/US01/41897

(22) International Filing Date: 27 August 2001 (27.08.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

25 August 2000 (25.08.2000)	US
25 August 2000 (25.08.2000)	US
21 August 2001 (21.08.2001)	US
23 August 2001 (23.08.2001)	US
27 August 2001 (27.08.2001)	US
	25 August 2000 (25.08.2000) 21 August 2001 (21.08.2001) 23 August 2001 (23.08.2001)

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:

US

09/941,246 (CON)

Filed on 27 August 2001 (27.08.2001)

(71) Applicant (for all designated States except US): INTEL-LOCITY USA, INC. [US/US]; 1400 Market Street, Denver, CO 80202 (US).

(72) Inventor; and


(75) Inventor/Applicant (for US only): MARKEL, Steven, O. [US/US]; 3031 E. Wyeeliff Way, Highlands Ranch, CO 80126 (US).

(74) Agents: GALLENSON, Mavis, S. et al.; LADAS & PARRY, 5670 Wilshire Boulevard, Suite 2100, Los Angeles, CA 90036-5679 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,

[Continued on next page]

(54) Title: METHOD AND SYSTEM OF PRODUCING ENHANCED CONTENT TO BE EMPLOYED WITH STREAMING MEDIA



(57) Abstract: A graphical user interface, providing local drag and drop functions, is employed to position text and graphic elements on a video frame image. Frame number, elementposition, and element attributes are employed to create an enhancement file. Theenhancement file is employed to embed a trigger, comprising information that identifies a video frame to be enhanced and a locator indicating where enhancement information may be accessed, into a streaming media file to create and enhanced streaming media file. An HTML/Javascript page embeds a media player and includes software to detect a trigger, access enhancement information, and to render the enhancement information in responseto the trigger.



WO 02/017643 A3



CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,

CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- (88) Date of publication of the international search report: 6 September 2002

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INTERNATIONAL SEARCH REPORT

etional Application No PCT/US 01/41897

PCT/US 01/41897 A. CLASSIFICATION OF SUBJECT MATTER IPC 7 H04N7/24 H04N H04N7/16 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) IPC 7 HO4N Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal C. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. Category 9 WO 96 19779 A (BELL ATLANTIC NETWORK 1,10,15, Α SERVICES) 27 June 1996 (1996-06-27) page 11, line 4 - line 9 page 201 page 11, line 21 - line 22 page 12, line 6 - line 11 page 15, line 7 - line 18 page 15, line 30 - line 35 page 20, line 1 - line 4 page 20, line 13 - line 14 "OpenAuthor, Overview, Technical White 1,10,15, Α Paper" OPEN TV. July 1998 (1998-07), XP002090104 the whole document Patent family members are listed in annex. Further documents are listed in the continuation of box C. Special categories of cited documents: "T" later document published after the international filing date or priority date and not in conflict with the application but "A" document defining the general state of the art which is not considered to be of particular relevance cited to understand the principle or theory underlying the invention *E* earlier document but published on or after the international "X" document of particular relevance; the claimed invention filing date cannot be considered novel or cannot be considered to "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) involve an inventive step when the document is taken alone document of particular relevance; the claimed invention cannot be considered to involve an Inventive step when the document is combined with one or more other such docu-"O" document referring to an oral disclosure, use, exhibition or ments, such combination being obvious to a person skilled other means in the art. document published prior to the international filing date but later than the priority date claimed *&* document member of the same patent family Date of mailing of the international search report Date of the actual completion of the international search 15/05/2002 2 May 2002 **Authorized officer** Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31–70) 340–2040, Tx. 31 651 epo nl, Fax: (+31–70) 340–3016 Dockhorn, H

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

ti ptional Application No PCT/US 01/41897

		PC1/US 01/41897			
.(Continua	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	La de Aleira Mo			
ategory °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.			
1	WO 00 19662 A (RADIOWAVE COM INC) 6 April 2000 (2000-04-06) page 4, line 3 - line 6	1,10,15, 22			
1	WO 00 43899 A (HOTV INC) 27 July 2000 (2000-07-27) column 3, line 9 -column 5, line 10 column 5, line 23 -column 6, line 3				
·	US 5 708 845 A (WISTENDAHL DOUGLASS A ET AL) 13 January 1998 (1998-01-13) column 7, line 3 - line 36 column 9, line 16 - line 61	1,10,15, 22			
\	WATSON: "Scripting the web (Times 2)" 'Online! 30 August 1996 (1996-08-30) XP002197873 Retrieved from the Internet: <url: 2470001%40204.212.150.108&rnum="7" groups.google.com="" groups?q="javascri" http:="" pt+hypermedia&hl="en&selm=cwatson-300896102"> 'retrieved on 2002-05-02! the whole document</url:>	1,10,15, 22			
Ξ	WO 02 19718 A (IBM UK; IBM (US)) 7 March 2002 (2002-03-07) page 1, line 1 - line 20 page 2, line 2 - line 5 page 23, line 11 -page 24, line 27 page 25, line 25 - line 27	1,10,15,			
áz Z v					

Į

INTERNATIONAL SEARCH REPORT

nformation on patent family members

ptional Application No PCT/US 01/41897

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 9619779	Α	27-06-1996	US AU WO US	5659793 A 4688996 A 9619779 A1 5826102 A	19-08-1997 10-07-1996 27-06-1996 20-10-1998
WO 0019662	Α	06-04-2000	US AU WO	6317784 B1 6389799 A 0019662 A1	13-11-2001 17-04-2000 06-04-2000
WO 0043899	Α	27-07-2000	US AU WO	2001023436 A1 2857800 A 0043899 A1	20-09-2001 07-08-2000 27-07-2000
US 5708845	A	13-01-1998	CA DE EP JP WO	2233444 A1 69619710 D1 0902928 A1 11512902 T 9712342 A1	03-04-1997 11-04-2002 24-03-1999 02-11-1999 03-04-1997
WO 0219718	Α	07-03-2002	WO	0219718 A1	07-03-2002

Form PCT/ISA/210 (patent family annex) (July 1992)

THIS PAGE BLANK (USPTO)

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

CORRECTED VERSION

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 28 February 2002 (28.02.2002)

PCT

(10) International Publication Number WO 02/017643 A3

(51) International Patent Classification7: H04N 7/24, 7/16

(21) International Application Number: PCT/US01/41897

(22) International Filing Date: 27 August 2001 (27.08.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/227,918	25 August 2000 (25.08.2000)	US
60/227,930	25 August 2000 (25.08.2000)	US
09/933,927	21 August 2001 (21.08.2001)	US
09/935,492	23 August 2001 (23.08.2001)	US
09/941,246	27 August 2001 (27.08.2001)	US

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:

JS

09/941,246 (CON)


Filed on

27 August 2001 (27.08.2001)

- (71) Applicant (for all designated States except US): INTEL-LOCITY USA, INC. [US/US]; 1400 Market Street, Denver, CO 80202 (US).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): MARKEL, Steven, O. [US/US]; 3031 E. Wyecliff Way, Highlands Ranch, CO 80126 (US).
- (74) Agents: GALLENSON, Mavis, S. et al.; LADAS & PARRY, 5670 Wilshire Boulevard, Suite 2100, Los Angeles, CA 90036-5679 (US).

[Continued on next page]

(54) Title: METHOD OF ENHANCING STREAMING MEDIA CONTENT



(57) Abstract: A graphical user interface, providing local drag and drop functions, is employed position text and graphic elements on a video frame image. Frame number, elementposition, and element attributes are employed to create an enhancement file. Theenhancement file is employed to embed a trigger, comprising information that identifies a video frame to be enhanced and a locator indicating where enhancement information may be accessed, into a streaming media file to create and enhanced streaming media file. An HTML/Javascript page embeds a media player and includes software to detect a trigger, access enhancement information, and to render the enhancement information in responseto the trigger.



- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

The state of the s

- with international search report
- (88) Date of publication of the international search report: 6 September 2002
- (48) Date of publication of this corrected version: 20 February 2003
- (15) Information about Correction: see PCT Gazette No. 08/2003 of 20 February 2003, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER: _

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)